SAF

SAFETY DATA SHEET

1. Identification

Product identifier Starbrite High Viscosity 80W90 Gear Lube

Other means of identification

Product code 270XX

Recommended use Lubricant.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Star brite Inc.

Address 4041 SW 47th Avenue

Fort Lauderdale, FL 33314 US

US

Telephone General Information: (954) 587-6280

E-mail Not available.

Contact person Vincent Waclawek

Emergency phone number 24-Hour Emergency: CHEMTREC: (703) 527-3887

or (800) 424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbolNone.Signal wordNone.Hazard statementNone.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash thoroughly after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	0 - 89
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	0 - 89
Long-chain alkyl amine	Proprietary	<0.3

4. First-aid measures

Inhalation If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Skin contact Wash with soap and water. Get medical attention if irritation persists after washing.

Eye contact Any material that contacts the eye should be washed out immediately with water. If easy to do,

remove contact lenses. Get medical attention if symptoms persist.

Starbrite High Viscosity 80W90 Gear Lube

919324-CC Version #: 01 Revision date: - Issue date: 15-May-2014

1 / 6

Ingestion Seek medical advice.

Most important symptoms/effects, acute and delayed

Direct contact with skin and eyes may cause irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Dry chemical. Water fog.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

None known.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. In case of spills, beware of slippery floors and surfaces. Wear shoes with non-slip soles. Wear protective clothing as described in Section 8 of this safety data sheet.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Dike the spilled material, where this is possible. Clean surface thoroughly to remove residual contamination.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece).

Large Spills: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Never return spills to original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Use only with adequate ventilation. Wash thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container closed.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Distillates (petroleum),	PEL	5 mg/m3	Mist.	
hydrotreated heavy				
paraffinic (CAS 64742-54-7)				
Distillates, petroleum,	PEL	5 mg/m3	Mist.	
hydrotreated light paraffinic				
(CAS 64742-55-8)				

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.

Starbrite High Viscosity 80W90 Gear Lube

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Biological limit values No biological exposure limits noted for the ingredient(s).

Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of Appropriate engineering

controls inhalation of vapors.

Individual protection measures, such as personal protective equipment Eye/face protection Use approved safety goggles or face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. Other

When workers are facing concentrations above the exposure limit they must use appropriate Respiratory protection

certified respirators.

Thermal hazards Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Green liquid.

Physical state Liquid. Liquid. **Form** Color Green. Odor Petroleum. Not available. **Odor threshold** Not available. Ha Melting point/freezing point Not available. Initial boiling point and boiling

range

> 212 °F (> 100 °C)

Flash point 350.6 °F (177.0 °C) Pensky-Martens Closed Cup

No data available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

No data available.

(%)

Flammability limit - upper

No data available.

Issue date: 15-May-2014

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

No data available. Vapor pressure Vapor density No data available. Relative density 0.87 (25°C)

Solubility(ies)

Solubility (water) Insoluble. Partition coefficient Not available.

(n-octanol/water)

> 840.2 °F (> 449 °C) **Auto-ignition temperature**

Starbrite High Viscosity 80W90 Gear Lube

SDS US

Decomposition temperature Not available. **Viscosity** 40 mm2/s

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion No harmful effects expected in amounts likely to be ingested by accident.

InhalationUnder normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Prolonged skin contact may cause irritation.

Eye contact Direct contact may irritate.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with skin and eyes may cause irritation.

Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritation Direct contact may irritate.

Serious eye damage/eye Direct contact may irritate.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not classified.

Germ cell mutagenicity Not classified.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not classified. single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Other adverse effects
Not available.
Not available.

13. Disposal considerations

Disposal instructionsDispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was

used.

Waste from residues / unused

products

Dispose of waste and residues in accordance with local authority requirements.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

Starbrite High Viscosity 80W90 Gear Lube
919324-CC Version #: 01 Revision date: - Issue date: 15-May-2014
4 / 6

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is hazardous according to OSHA 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7) Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

Starbrite High Viscosity 80W90 Gear Lube

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No

(PICCS)

Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

15-May-2014 Issue date

Revision date Version # 01

NFPA Ratings



References **ACGIH**

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

The information contained herein is based on data considered accurate. However, no warranty is Disclaimer

> expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Star brite assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Star brite assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

919324-CC Version #: 01 Revision date: -6/6 Issue date: 15-May-2014

No

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).