

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 02/15/2016 Date of issue: 02/15/2016

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Toilet Bowl Cleaner

Product Code: 864XX

Intended Use of the Product

Cleaner

Name, Address, and Telephone of the Responsible Party

Starbrite® Inc. 4041 SW 47th Avenue Fort Lauderdale, FL 33314 (954)587-6280

www.starbrite.com

Emergency Telephone Number

Emergency Number : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS-US classification Eye Dam. 1 H318

Carc. 2 H351

Full text of hazard classes and H-statements: see section 16

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H318 - Causes serious eye damage.

H351 - Suspected of causing cancer.

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear protective gloves, protective clothing, and eye protection.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P405 - Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national,

territorial, provincial, and international regulations.

P308+310+313 - If exposed or concerned: Get medical advice/attention. Immediately call a

poison center or doctor.

Other Hazards

Aquatic Acute 3 H402

H402 - Harmful to aquatic life.

P273 - Avoid release to the environment.

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

02/15/2016 RTATEI-CC EN (English US) 1/18

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Mixture

Name	Product Identifier	% (w/w)	GHS-US classification
Alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	3 - 7	Acute Tox. 4 (Oral), H302
, , ,	, ,		Eye Dam. 1, H318
			Aquatic Acute 2, H401
Coconut diethanolamide	(CAS No) 68603-42-9	1 - 3	Skin Irrit. 2, H315
	(6.2.10)		Eye Irrit. 2A, H319
			Carc. 2, H351
			Aquatic Acute 2, H401
Tetrasodium EDTA	(CAS No) 64-02-8	1 - 3	Comb. Dust
	(0.00.00)		Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
2-Butoxyethanol	(CAS No) 111-76-2	0.5 - 1.5	Flam. Liq. 4, H227
2 Satoxyethanor	(6/15/110) 111 / 6 2	0.5 1.5	Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Dermal), H312
			Acute Tox. 4 (Inhalation:vapor), H332
			Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
Glycerin	(CAS No) 56-81-5	<= 0.3	Not classified
1-Dodecanamine, N,N-dimethyl-, N-oxide	(CAS No) 1643-20-5	0.1 - 0.3	Acute Tox. 4 (Oral), H302
1-Dodecanamine, N,N-aimethyr-, N-oxide	(CAS NO) 1043-20-3	0.1 - 0.5	Skin Irrit. 2, H315
			Eye Dam. 1, H318
			Aquatic Acute 1, H400
			Aquatic Acute 1, 11400 Aquatic Chronic 2, H411
Diethanolamine	(CAS No) 111-42-2	< 0.1	Acute Tox. 4 (Oral), H302
Dietrianolamine	(CA3 NO) 111-42-2	0.1 - 0.2	Skin Irrit. 2, H315
		0.1 - 0.2	Eye Dam. 1, H318
			Carc. 2, H351
			STOT RE 2, H373
			Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Nitrilotriacetic acid trisodium salt*	(CAC No) FOCA 21 2	< 0.1	•
Nitriiotriacetic acid trisodium sait	(CAS No) 5064-31-3	_	Acute Tox. 4 (Oral), H302
		0.1 - 0.15	Eye Irrit. 2A, H319
Cadima huduquida	(CAC No.) 1210 72 2	101	Carc. 2, H351
Sodium hydroxide	(CAS No) 1310-73-2	< 0.1	Met. Corr. 1, H290
		0.1 - 0.15	Acute Tox. 4 (Dermal), H312
			Skin Corr. 1A, H314
			Eye Dam. 1, H318
Ostodali sa sel sette di la	(CACAL) 0005 10 F	.01	Aquatic Acute 3, H402
Octylphenol ethoxylate	(CAS No) 9036-19-5	< 0.1	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
Tamana and Tamana	(CACAL) 50067 70 5	10.1	Aquatic Chronic 2, H411
Terpenes and Terpenoids, sweet orange-oil	(CAS No) 68647-72-3	< 0.1	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			Skin Sens. 1, H317
			Asp. Tox. 1, H304
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Terpenes and Terpenoids, lemon-oil	(CAS No) 68917-33-9	< 0.1	Flam. Liq. 3, H226
			Skin Irrit. 2, H315

02/15/2016 RTATEI-CC EN (English US) 2/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

			Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citral	(CAS No) 5392-40-5	< 0.1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 2, H401

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]. A range of concentration as prescribed by Controlled Products Regulations has been used where necessary, due to varying composition.

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye damage. Suspected of causing cancer.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Suspected of causing cancer.

<u>Indication of Any Immediate Medical Attention and Special Treatment Needed</u>

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide (CO₂).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Hydrocarbons. Acrid smoke and irritating fumes.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to section 9 for flammability properties.

02/15/2016 RTATEI-CC EN (English US) 3/18

^{*} Nitrilotriacetic acid trisodium salt is not considered a carcinogen unless it is at >= 5% of the total mixture.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Contact competent authorities after a spill.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not get in eyes, on skin, or on clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, spray, and vapors.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Cleaner

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

2-Butoxyethanol (111-76-2)		
Mexico	OEL TWA (mg/m³)	120 mg/m³
Mexico	OEL TWA (ppm)	26 ppm
Mexico	OEL STEL (mg/m³)	360 mg/m³
Mexico	OEL STEL (ppm)	75 ppm
USA ACGIH	ACGIH TWA (ppm)	20 ppm
USA ACGIH	ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to
		Humans
USA OSHA	OSHA PEL (TWA) (mg/m³)	240 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	50 ppm
USA OSHA	Limit value category (OSHA)	prevent or reduce skin absorption
USA NIOSH	NIOSH REL (TWA) (mg/m³)	24 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	5 ppm

02/15/2016 RTATEI-CC EN (English US) 4/18

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

USA IDLH	US IDLH (ppm)	700 ppm
Alberta	OEL TWA (mg/m³)	97 mg/m³
Alberta	OEL TWA (ppm)	20 ppm
British Columbia	OEL TWA (ppm)	20 ppm
Manitoba	OEL TWA (ppm)	20 ppm
New Brunswick	OEL TWA (mg/m³)	121 mg/m³
New Brunswick	OEL TWA (ppm)	25 ppm
Newfoundland & Labrador	OEL TWA (ppm)	20 ppm
Nova Scotia	OEL TWA (ppm)	20 ppm
Nunavut	OEL STEL (mg/m³)	360 mg/m³
Nunavut	OEL STEL (ppm)	75 ppm
Nunavut	OEL TWA (mg/m³)	120 mg/m³
Nunavut	OEL TWA (ppm)	25 ppm
Northwest Territories	OEL STEL (ppm)	30 ppm
Northwest Territories	OEL TWA (ppm)	20 ppm
Ontario	OEL TWA (ppm)	20 ppm
Prince Edward Island	OEL TWA (ppm)	20 ppm
Québec	VEMP (mg/m³)	97 mg/m³
Québec	VEMP (ppm)	20 ppm
Saskatchewan	OEL STEL (ppm)	30 ppm
Saskatchewan	OEL TWA (ppm)	20 ppm
Yukon	OEL STEL (mg/m³)	720 mg/m³
Yukon	OEL STEL (ppm)	150 ppm
Yukon	OEL TWA (mg/m³)	240 mg/m³
Yukon	OEL TWA (ppm)	50 ppm
Glycerin (56-81-5)		
Mexico	OEL TWA (mg/m³)	10 mg/m³ (mist)
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (mist, total particulate)
OSA OSHIA	OSHATEL (TWA) (IIIg/III)	5 mg/m³ (mist, total particulate)
Alberta	OEL TWA (mg/m³)	10 mg/m³ (mist)
British Columbia	OEL TWA (mg/m³)	10 mg/m³ (mist)
British Columbia	OLL TWA (IIIg/III)	3 mg/m³ (mist-respirable)
New Brunswick	OEL TWA (mg/m³)	10 mg/m³ (mist)
Nunavut	OEL STEL (mg/m³)	20 mg/m³ (mist)
Nunavut	OEL TWA (mg/m³)	10 mg/m³ (mist)
Northwest Territories	OEL STEL (mg/m³)	20 mg/m³ (mist)
Northwest Territories	OEL TWA (mg/m³)	10 mg/m³ (mist)
Québec	VEMP (mg/m³)	10 mg/m³ (mist)
Saskatchewan	OEL STEL (mg/m³)	20 mg/m³ (mist)
Saskatchewan	OEL TWA (mg/m³)	10 mg/m³ (mist)
Yukon	OEL TWA (mg/m³)	30 mppcf (mist)
		10 mg/m³ (mist)
Diethanolamine (111-42-2)	1	
USA ACGIH	ACGIH TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure
	, , , , , , , , , , , , , , , , , , ,	by the cutaneous route, Confirmed Animal Carcinogen with
		Unknown Relevance to Humans
USA NIOSH	NIOSH REL (TWA) (mg/m³)	15 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	3 ppm
Alberta	OEL TWA (mg/m³)	2 mg/m³
British Columbia	OEL TWA (mg/m³)	2 mg/m³
	ı v. v. · · · /	J,

02/15/2016 RTATEI-CC EN (English US) 5/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Manitoha	OFI TIMA (mag/mg3)	1 mag/ma ³ /inhalahla function and consul
Manitoba	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
New Brunswick	OEL TWA (mg/m³)	2 mg/m³
New Brunswick	OEL TWA (ppm)	0.46 ppm
Newfoundland & Labrador	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
Nova Scotia	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
Nunavut	OEL STEL (mg/m³)	26 mg/m³
Nunavut	OEL STEL (ppm)	6 ppm
Nunavut	OEL TWA (mg/m³)	13 mg/m³
Nunavut	OEL TWA (ppm)	3 ppm
Northwest Territories	OEL STEL (mg/m³)	4 mg/m³
Northwest Territories	OEL TWA (mg/m³)	2 mg/m³
Ontario	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
Prince Edward Island	OEL TWA (mg/m³)	1 mg/m³ (inhalable fraction and vapor)
Québec	VEMP (mg/m³)	13 mg/m³
Québec	VEMP (ppm)	3 ppm
Saskatchewan	OEL STEL (mg/m³)	4 mg/m³
Saskatchewan	OEL TWA (mg/m³)	2 mg/m³
Sodium hydroxide (1310-73-	-2)	
Mexico	OEL Ceiling (mg/m³)	2 mg/m³
USA ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³
USA OSHA	OSHA PEL (TWA) (mg/m³)	2 mg/m³
USA NIOSH	NIOSH REL (ceiling) (mg/m³)	2 mg/m³
USA IDLH	US IDLH (mg/m³)	10 mg/m³
Alberta	OEL Ceiling (mg/m³)	2 mg/m³
British Columbia	OEL Ceiling (mg/m³)	2 mg/m³
Manitoba	OEL Ceiling (mg/m³)	2 mg/m³
New Brunswick	OEL Ceiling (mg/m³)	2 mg/m³
Newfoundland & Labrador	OEL Ceiling (mg/m³)	2 mg/m³
Nova Scotia	OEL Ceiling (mg/m³)	2 mg/m³
Nunavut	OEL Ceiling (mg/m³)	2 mg/m³
Northwest Territories	OEL Ceiling (mg/m³)	2 mg/m³
Ontario	OEL Ceiling (mg/m³)	2 mg/m³
Prince Edward Island	OEL Ceiling (mg/m³)	2 mg/m³
Québec	PLAFOND (mg/m³)	2 mg/m³
Saskatchewan	OEL Ceiling (mg/m³)	2 mg/m³
Yukon	OEL Ceiling (mg/m³)	2 mg/m³
Citral (5392-40-5)		_ ···o, ···
USA ACGIH	ACGIH TWA (ppm)	5 ppm (inhalable fraction and vapor)
USA ACGIH	ACGIH chemical category	dermal sensitizer,Skin - potential significant contribution to
OSA ACGIII	Acom chemical category	overall exposure by the cutaneous route, Not Classifiable as
		a Human Carcinogen
Manitoba	OEL TWA (ppm)	5 ppm (inhalable fraction and vapor)
Newfoundland & Labrador	OEL TWA (ppm)	5 ppm (inhalable fraction and vapor)
Nova Scotia	OEL TWA (ppm)	5 ppm (inhalable fraction and vapor)
Ontario	OEL TWA (ppm)	5 ppm (inhalable fraction and vapor)
Prince Edward Island	OEL TWA (ppm)	5 ppm (inhalable fraction and vapor)
		a ppin (minarable maction and tapon)

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

02/15/2016 RTATEI-CC EN (English US) 6/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves. **Eye Protection:** Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection.

Environmental Exposure Controls: Avoid release to the environment.

Other Information: When using, do not eat, drink or smoke

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State : Liquid
Appearance : Blue

Odor: CharacteristicOdor Threshold: Not available

pH : 10.5

Evaporation Rate Not available **Melting Point** 0 °C (32 °F) **Freezing Point** Not available **Boiling Point** > 100 °C (>212 °F) **Flash Point** > 100 °C (> 212 °F) Not available **Auto-ignition Temperature Decomposition Temperature** Not available Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Not available Relative Vapor Density at 20 °C

Specific Gravity : 1.025

Solubility : Soluble in water.

Partition Coefficient: N-Octanol/Water : Not available

Viscosity : Not available

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact.

Explosion Data – Sensitivity to Static Discharge : Not expected to present an explosion hazard due to static discharge.

Not available

SECTION 10: STABILITY AND REACTIVITY

Relative Density

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂). Nitrogen oxides. Hydrocarbons. Amines. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

02/15/2016 RTATEI-CC EN (English US) 7/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Skin Corrosion/Irritation: Not classified

pH: 10.5

Serious Eye Damage/Irritation: Causes serious eye damage.

pH: 10.5

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified

Carcinogenicity: Suspected of causing cancer.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. **Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Suspected of causing cancer.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

2-Butoxyethanol (111-76-2)		
LD50 Oral Rat	470 mg/kg	
LC50 Inhalation Rat	450 ppm/4h	
ATE US (dermal)	1,100.00 mg/kg body weight	
ATE US (vapors)	11.00 mg/l/4h	
Alcohols, C9-11, ethoxylated (68439-46-3)		
LD50 Oral Rat	1400 mg/kg	
LD50 Dermal Rat	> 2 g/kg	
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)		
ATE US (oral)	500.00 mg/kg body weight	
Coconut diethanolamide (68603-42-9)		
LD50 Oral Rat	12400 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
Glycerin (56-81-5)		
LD50 Oral Rat	23000 mg/kg	
LD50 Dermal Rabbit	> 10 g/kg	
LC50 Inhalation Rat	> 570 mg/m³ (Exposure time: 1 h)	
Diethanolamine (111-42-2)		
LD50 Oral Rat	1820 mg/kg	
Tetrasodium EDTA (64-02-8)		
LD50 Oral Rat	1780 mg/kg	
ATE US (dust, mist)	1.50 mg/l/4h	
Sodium hydroxide (1310-73-2)		
LD50 Dermal Rabbit	1350 mg/kg	
Nitrilotriacetic acid trisodium salt (5064-31-3)		
LD50 Oral Rat	1740 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	> 5 mg/l/4h	
Octylphenol ethoxylate (9036-19-5)		
LD50 Oral Rat	1700 mg/kg	

02/15/2016 RTATEI-CC EN (English US) 8/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Citral (5392-40-5)		
LD50 Oral Rat	4960 mg/kg	
LD50 Dermal Rabbit	2250 mg/kg	
2-Butoxyethanol (111-76-2)		
IARC Group	3	
Coconut diethanolamide (68603-42-9)		
IARC Group	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Diethanolamine (111-42-2)		
IARC Group	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Nitrilotriacetic acid trisodium salt (5064-31-3)		
IARC Group	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Harmful to aquatic life.

2-Butoxyethanol (111-76-2) LC50 Fish 1		
EC50 Daphnia 1 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC 50 Fish 2 2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErC50 (algae) 0.11 mg/l (72 hour) Coconut diethanolamide (68603-42-9) LC50 Fish 1 3.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) EC50 Daphnia 1 2.15 mg/l (Exposure time: 48 h - Species: Daphnia pulex [Static]) ErC50 (algae) 2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus) Glycerin (56-81-5) LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [state]) Diethanolamine (111-42-2) LC50 Fish 1 4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) EC50 Daphnia 1 55 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC 50 Fish 2 1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
LC 50 Fish 2 2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErC50 (algae) 0.11 mg/l (72 hour) Coconut diethanolamide (68603-42-9) LC50 Fish 1 3.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) EC50 Daphnia 1 2.15 mg/l (Exposure time: 48 h - Species: Daphnia pulex [Static]) ErC50 (algae) 2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus) Glycerin (56-81-5) LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [statatatatatatatatatatatatatatatatatata		
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErC50 (algae) 0.11 mg/l (72 hour) Coconut diethanolamide (68603-42-9) LC50 Fish 1 3.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) EC50 Daphnia 1 2.15 mg/l (Exposure time: 48 h - Species: Daphnia pulex [Static]) ErC50 (algae) 2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus) Glycerin (56-81-5) LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) Diethanolamine (111-42-2) LC50 Fish 1 4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) EC50 Daphnia 1 55 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC 50 Fish 2 1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
ErC50 (algae)0.11 mg/l (72 hour)Coconut diethanolamide (68603-42-9)LC50 Fish 13.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])EC50 Daphnia 12.15 mg/l (Exposure time: 48 h - Species: Daphnia pulex [Static])ErC50 (algae)2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus)Glycerin (56-81-5)54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [state through])Diethanolamine (111-42-2)4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])EC50 Daphnia 155 mg/l (Exposure time: 48 h - Species: Daphnia magna)LC 50 Fish 21200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
Coconut diethanolamide (68603-42-9) LC50 Fish 1 3.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) EC50 Daphnia 1 2.15 mg/l (Exposure time: 48 h - Species: Daphnia pulex [Static]) ErC50 (algae) 2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus) Glycerin (56-81-5) LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [statom through]) LC50 Fish 1 4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) EC50 Daphnia 1 55 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC 50 Fish 2 1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
LC50 Fish 1 3.6 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) EC50 Daphnia 1 2.15 mg/l (Exposure time: 48 h - Species: Daphnia pulex [Static]) ErC50 (algae) 2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus) Glycerin (56-81-5) LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [statom through]) EC50 Fish 1 4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) EC50 Daphnia 1 55 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC 50 Fish 2 1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 1 2.15 mg/l (Exposure time: 48 h - Species: Daphnia pulex [Static]) ErC50 (algae) 2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus) Glycerin (56-81-5) LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [statement of the company of		
ErC50 (algae) 2.2 mg/l (Exposure time: 72 h - Species: Scenedesmus subspicatus) Glycerin (56-81-5) LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [statement of the content of the cont		
Glycerin (56-81-5) LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [statement of the content of		
LC50 Fish 1 54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [state		
Diethanolamine (111-42-2) LC50 Fish 1 4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) EC50 Daphnia 1 55 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC 50 Fish 2 1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
LC50 Fish 1 4460 (4460 - 4980) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) EC50 Daphnia 1 55 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC 50 Fish 2 1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
through]) EC50 Daphnia 1 55 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC 50 Fish 2 1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Daphnia 155 mg/l (Exposure time: 48 h - Species: Daphnia magna)LC 50 Fish 21200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
LC 50 Fish 2 1200 (1200 - 1580) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
EC50 Other Aquatic Organisms 2 2.1 (2.1 - 2.3) mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)		
ErC50 (algae) 2.2 mg/l (Exposure time: 96 h - Species: Pseudokirchnerella subcapitata [Static])		
NOEC chronic crustacea 0.78 mg/l		
Tetrasodium EDTA (64-02-8)		
LC50 Fish 1 486 (Exposure time: 96h - Species: Lepomis macrochirus)		
EC50 Daphnia 1 625 mg/l (Exposure time: 24 h - Species: Daphnia magna)		
LC 50 Fish 2 59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
ErC50 (algae) 3 mg/l (exposure time: 96 h - Species:Green Algae)		
Sodium hydroxide (1310-73-2)		
LC50 Fish 1 45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])		
EC50 Daphnia 1 40 mg/l		
Nitrilotriacetic acid trisodium salt (5064-31-3)		
LC50 Fish 1 93 - 170 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
EC50 Daphnia 1 560 - 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC 50 Fish 2 175 - 225 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		

02/15/2016 RTATEI-CC EN (English US) 9/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

NOEC chronic crustacea	9.3 mg/l
Octylphenol ethoxylate (9036-19-5)	
LC50 Fish 1	7.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	8.6 mg/l (Exposure time: 48 h - Species: Daphnia magna [static])
NOEC chronic fish	0.084 ppm
NOEC chronic crustacea	0.037 ppm
Citral (5392-40-5)	
LC50 Fish 1	4.1 mg/l
EC50 Daphnia 1	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Persistence and Degradability

Toilet Bowl Cleaner	
Persistence and Degradability	Not established.

Bioaccumulative Potential

bioaccumulative Potential	
Toilet Bowl Cleaner	
Bioaccumulative Potential	Not established.
2-Butoxyethanol (111-76-2)	
Log Pow	0.81 (at 25 °C)
Glycerin (56-81-5)	
BCF Fish 1	(no bioaccumulation)
Log Pow	-1.76
Diethanolamine (111-42-2)	
BCF Fish 1	(no significant bioconcentration)
Log Pow	-2.18 (at 25 °C)
	· · ·
Tetrasodium EDTA (64-02-8)	
Tetrasodium EDTA (64-02-8) Log Pow	5.01 (calculated)
	5.01 (calculated)

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology – Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/DOT/TDG/IMDG

UN Number Not regulated for transport

UN Proper Shipping Name Not regulated for transport

Transport Hazard Class(es)

Marine Pollutant : No

Additional Information Not available

<u>Transport by sea</u> Not regulated for transport

<u>Air transport</u> Not regulated for transport

In Accordance With IMDG Not regulated for transport

In Accordance With IATA/ICAO Not regulated for transport

In Accordance With TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

02/15/2016 RTATEI-CC EN (English US) 10/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

US Federal Regulations

OS Federal Regulations	
Toilet Bowl Cleaner	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Delayed (chronic) health hazard
2-Butoxyethanol (111-76-2)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
Alcohols, C9-11, ethoxylated (68439-46-3)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
Coconut diethanolamide (68603-42-9)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
Glycerin (56-81-5)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is
	made only from reactants included in a specified list of low concern
	reactants that comprises one of the eligibility criteria for the
	exemption rule
Diethanolamine (111-42-2)	
Listed on the United States TSCA (Toxic Substances Control A	·
Subject to reporting requirements of United States SARA Sec	ction 313
Tetrasodium EDTA (64-02-8)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
Sodium hydroxide (1310-73-2)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
Nitrilotriacetic acid trisodium salt (5064-31-3)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
Octylphenol ethoxylate (9036-19-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Terpenes and Terpenoids, sweet orange-oil (68647-72-3)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
Terpenes and Terpenoids, lemon-oil (68917-33-9)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
Citral (5392-40-5)	
Listed on the United States TSCA (Toxic Substances Control A	Act) inventory
US State Regulations	

oconut diethanolamide (68603-42-9)			
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of		
	California to cause cancer.		
Diethanolamine (111-42-2)			
U.S California - Proposition 65 - Carcinogens List	WARNING: This product contains chemicals known to the State of		
	California to cause cancer.		
2-Butoxyethanol (111-76-2)			
LLS California SCAOMD Toxic Air Contaminants Non Cancor Acuto			

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations

02/15/2016 RTATEI-CC EN (English US) 11/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits Skin Designations
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits Skin Designations
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits Skin Designations
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits Skin Designations
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical Groups
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. Tennessee Occupational Exposure Limits Skin Designations
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits Skin Designations
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits Skin Designations
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

Alcohols, C9-11, ethoxylated (68439-46-3)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Coconut diethanolamide (68603-42-9)

- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Minnesota Chemicals of High Concern
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical Groups
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

02/15/2016 RTATEI-CC EN (English US) 12/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Glycerin (56-81-5)

- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Idaho Occupational Exposure Limits TWAs
- RTK U.S. Massachusetts Right To Know List
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Diethanolamine (111-42-2)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical Groups
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual

02/15/2016 RTATEI-CC EN (English US) 13/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

Tetrasodium EDTA (64-02-8)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Sodium hydroxide (1310-73-2)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits Ceilings
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits Ceilings
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits Ceilings
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical Groups
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits Ceilings
- U.S. Texas Effects Screening Levels Long Term

02/15/2016 RTATEI-CC EN (English US) 14/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits Ceilings
- U.S. Washington Permissible Exposure Limits Ceilings
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

Nitrilotriacetic acid trisodium salt (5064-31-3)

- U.S. Illinois Toxic Air Contaminant Carcinogens
- U.S. Illinois Toxic Air Contaminants
- RTK U.S. Massachusetts Right To Know List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Octylphenol ethoxylate (9036-19-5)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Citral (5392-40-5)

- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

Canadian Regulations

Toilet Bowl Cleaner					
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects				
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects				
2-Butoxyethanol (111-76-2)					
Listed on the Canadian DSL (Domestic Substances List)					
Listed on the Canadian IDL (Ir	Listed on the Canadian IDL (Ingredient Disclosure List)				
IDL Concentration 1 %					
WHMIS Classification	Class B Division 3 - Combustible Liquid				
	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects				
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects				
Alcohols, C9-11, ethoxylated	Alcohols, C9-11, ethoxylated (68439-46-3)				
Listed on the Canadian DSL (Listed on the Canadian DSL (Domestic Substances List)				
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects				
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)					
Listed on the Canadian DSL (Domestic Substances List)					
Listed on the Canadian IDL (Ir	Listed on the Canadian IDL (Ingredient Disclosure List)				
IDL Concentration 1 %					
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects				
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects				
Coconut diethanolamide (68603-42-9)					
Listed on the Canadian DSL (Domestic Substances List)					
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects				

02/15/2016 RTATEI-CC EN (English US) 15/18

Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

According to rederal negister / vol. 77	, No. 58 / Monday, March 26, 2012 / Rules And Regulations			
Glycerin (56-81-5)				
Listed on the Canadian DSL (Domestic Substances List)				
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria			
Diethanolamine (111-42-2)				
Listed on the Canadian DSL (D	omestic Substances List)			
Listed on the Canadian IDL (In	gredient Disclosure List)			
IDL Concentration 1 %				
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Tetrasodium EDTA (64-02-8)				
Listed on the Canadian DSL (D	omestic Substances List)			
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Sodium hydroxide (1310-73-2	2)			
Listed on the Canadian DSL (D				
Listed on the Canadian IDL (In	gredient Disclosure List)			
IDL Concentration 1 %				
WHMIS Classification	Class E - Corrosive Material			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Nitrilotriacetic acid trisodium	salt (5064-31-3)			
Listed on the Canadian DSL (D	omestic Substances List)			
WHMIS Classification	Class D Division 2 Subdivision A - Very toxic material causing other toxic effects			
	Class E - Corrosive Material			
Octylphenol ethoxylate (9036	5-19-5)			
Listed on the Canadian DSL (D	omestic Substances List)			
Listed on the Canadian IDL (In	gredient Disclosure List)			
IDL Concentration 1 %				
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Terpenes and Terpenoids, sw	reet orange-oil (68647-72-3)			
Listed on the Canadian DSL (D				
WHMIS Classification	Class B Division 2 - Flammable Liquid			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Terpenes and Terpenoids, ler	mon-oil (68917-33-9)			
Listed on the Canadian DSL (Domestic Substances List)				
WHMIS Classification	Class B Division 2 - Flammable Liquid			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Citral (5392-40-5)	·			
Listed on the Canadian DSL (Domestic Substances List)				
Listed on the Canadian IDL (Ingredient Disclosure List)				
IDL Concentration 1 %	7			
WHMIS Classification	Class B Division 3 - Combustible Liquid			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 02/15/2016

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4

02/15/2016 RTATEI-CC EN (English US) 16/18

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Inhalation:vapor)	Acute toxicity (inhalation:vapor) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Skin Sens. 1B	Skin sensitization Category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H226	Flammable liquid and vapor
H227	Combustible liquid
Comb. Dust	May form combustible dust concentrations in air
H290	May be corrosive to metals
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

02/15/2016 RTATEI-CC EN (English US) 17/18

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

NFPA Health Hazard : 3 - Short exposure could cause serious temporary or


residual injury even though prompt medical attention was

given.

NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



Party Responsible for the Preparation of This Document

Starbrite®

Phone Number: (954)587-6280

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS

02/15/2016 RTATEI-CC EN (English US) 18/18