

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1. Product identifier**

Product name : STAR BRITE MSR BLACK STAIN REMOVER
Product code : 865XX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier : Star Brite Europe Inc.
86 bis route de Brignais
69630 Chaponost, France
Telephone : +33-478-56-77-80
Fax : +33-472-39-97-96
E-mail : jp.kitzinger@starbrite-europe.com
Website : www.starbrite.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:
FR - Telephone : +33-478-56-77-80 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):
National Poisons Information Service +44 344 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture**

CLP classification (1272/2008/EC) : Corrosive to metals, category 1. Skin corrosive, category 1C. Serious eye damage, category 1. Hazardous to the aquatic environment — Chronic category 3.
Human health hazards : Causes severe skin burns and eye damage. Warning! Do not use together with other products. May release dangerous gases (chlorine).
Physical/chemical hazards : May be corrosive to metals.
Environmental hazards : Harmful to aquatic life with long lasting effects.
Other information : Do not breathe spray. Use only in well-ventilated areas.

2.2. Label elements

Label elements (1272/2008/EC):
Hazard pictograms :



Signal word : Danger
H- and P-phrases : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.
EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

P260 aerosol	Do not breathe spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P273	Avoid release to the environment.
P390	Absorb spillage to prevent material damage.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases	:	H314	Causes severe skin burns and eye damage.
		H412	Harmful to aquatic life with long lasting effects.
		EUH206	Warning! Do not use together with other products. May release dangerous gases (chlorine).
		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		P260 aerosol	Do not breathe spray.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
		P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
		P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P310	Immediately call a POISON CENTER/doctor.
		P363	Wash contaminated clothing before reuse.
		P405	Store locked up.
		P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Sodium hypochlorite 2,45 % ; Sodium hydroxide .

Ingredient declaration according to Regulation 648/2004:

Contains:	Concentration (%)
Anionic surfactants , Chlorine-based bleaching agents	< 5
Perfumes	

Other information : According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Sodium hydroxide	0,1 - < 1	1310-73-2	215-185-5		
Sodium hypochlorite	1 - < 2,5	7681-52-9	231-668-3		

Substance name	Hazard Class	H-phrases	Pictograms	
Sodium hydroxide	Skin Corr. 1A; Eye Dam. 1; Met. Corr. 1	H290; H314; H318	GHS05	H314 A : C >= 5 % H319 : C >= 0.5 % H315 : C >= 0.5 % H318 : C >= 2 % H314 B : C >= 2 %
Sodium hypochlorite	Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1	H314; H318; H335; H400; H410; H290; EUH031	GHS05; GHS07; GHS09	M (acute) = 10 M (chronic) = 1 H290 : C >= 5 % EUH031 : C >= 5 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor in case burns or irritation occur.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor immediately.
- Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Consult a doctor immediately if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause sore throat and coughing. May cause irritation to respiratory airways and coughing.
- Skin contact : Corrosive. May cause redness, pain and burns (blisters).
- Eye contact : Corrosive. May cause redness and severe pain. Tears.
- Ingestion : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Foam. Dry chemical. Water fog.
- Not suitable : Carbondioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : Reacts violently with flammable and reducing agents with risk of explosions. Water may be used to cool containers. Heating causes oxygen release, intensifying the fire.
- Hazardous thermal decomposition products : Generates toxic (phosgene) and corrosive vapours (hydrochloric acid) in case of combustion. Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation. Note that extinguishing water can be corrosive.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material.

6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Absorb residues in sand or other inert material. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

- Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

- Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe spray. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing. After contact with skin, wash immediately with plenty of water.

7.2. Conditions for safe storage, including any incompatibilities

- Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C).
- Recommended packaging : Keep only in the original container.
- Non recommended packaging : Steel and aluminium. PET and PETG.

7.3. Specific end use(s)

- Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Sodium hydroxide	GB	-	2	-	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium hydroxide	Inhalation			1 mg/m ³	
Sodium hypochlorite	Inhalation	1,55 mg/m ³	3,1 mg/m ³		1,55 mg/m ³

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium hydroxide	Inhalation			1 mg/m ³	
Sodium hypochlorite	Inhalation Oral		3,1 mg/m ³		1,55 mg/m ³ 0,26 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Sodium hypochlorite	Water Intermittent water STP Oral	0,00021 mg/l	0,00042 mg/l	0,00026 mg/l 0,03 mg/l 11,1 mg/kg food


8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: PVC. Indication of permeation breakthrough time: 6 hours.

Respiratory protection : Take care of sufficient ventilation.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: PVC. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear a face shield or appropriate safety glasses with side shields, in accordance with EN 166.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance : Liquid.
Colour : Light yellow.
Odour : Characteristic.

Odour threshold	: Not known.	
pH	: 12	
Alkali reserve (g NaOH/100 ml)	: 1,2	
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies.
Flash point	: > 100 °C	Closed Cup (ISO 2719, EN 11, DIN 51758, ASTM D 93)
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 245 °C	
Boiling point/boiling range	: 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	
Oxidising properties	: Slightly oxidizing.	
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: 2300 Pa	
Vapour density (20°C)	: Not relevant.	The solvent content of this product is less than 1%.
Relative density (20°C)	: 1,1 g/ml	
Evaporation rate	: < 1	(n-butyl acetate = 1)

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible. Reacts with metals. amines.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from acids. Keep away from reducing agents. Keep away from halogenated substances. Keep away from heavy metals.

10.6. Hazardous decomposition products

Hazardous decomposition products : May include and are not limited to: HCl-gas and chlorine vapours.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 5,484 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met.

- Corrosion/irritation : Corrosive. May cause sore throat and coughing. May cause pulmonary oedema. Symptoms of pulmonary oedema often manifest after several hours.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

- Skin contact
 - Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
 - Corrosion/irritation : Corrosive. May cause redness, pain and burns (blisters).
 - Sensitisation : Not classified - based on available data, the classification criteria are not met.
 - Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

- Eye contact
 - Corrosion/irritation : Corrosive. Risk of serious damage to eyes.

- Ingestion
 - Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Not classified - based on available data, the classification criteria are not met.
 - Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
 - Corrosion/irritation : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
 - Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
 - Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
 - Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Sodium hydroxide	Eye irritation	Corrosive.		
	Skin irritation	Corrosive.		
Sodium hypochlorite	LD50 (oral) - estimate	> 2000 mg/kg bw		
	Skin sensitisation - estimate	Not sensitizing		
	Genotoxicity - estimate	Not genotoxic		
	LD50 (dermal)	> 20000 mg/kg bw	OECD 402	Rabbit
	LC50 (inhalation)	> 10500 mg/m ³		Rat
	LD50 (oral)	8910 mg/kg bw	-----	Rat
	NOEL (carcinogenicity, oral)	> 50 mg/kg bw/d	OECD 451	Rat
	NOAEL (oral)	> 50 mg/kg bw/d		
	Genotoxicity - in vitro	Genotoxic	OECD 473	
	Genotoxicity - in vivo	2500 mg/kg bw/d	OECD 473	
	Eye irritation	Irritant	OECD 405	Rabbit
	Skin irritation	Corrosive.		-----
	Mutagenicity	Positive	OECD 471	Salmonella typhimurium
NOAEL (development, oral)	> 5,7 mg/kg bw/d	OECD 414	Rat	
NOAEL (fertility, oral)	> 5 mg/kg bw/d		Rat	
Skin sensitisation	Not sensitizing	OECD 406	Guinea pig	

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 82 mg/l. Calculated EC50 (waterflea): 5 mg/l.
Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Sodium hypochlorite	LC50 (fish)	2,1 mg/l		
	EC50 (waterflea)	0,141 mg/l	OECD 202	Daphnia magna
	NOEC (waterflea) - acute	0,05 mg/l	OECD 202	Daphnia magna
	Log P(ow)	-3,4		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose into the environment, in drains or in water courses.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : UN 3266

14.2. UN proper shipping name

Transport name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hypochlorite ; Sodium hydroxide)
 Transport name (IMDG, IATA) : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (;)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 8
 Classification code : C5
 Packaging group : III
 Danger label : 8
 Tunnel restriction code : E



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 8
 Packaging group : III
 EmS (fire / spill) : F - A / S - B
 Marine pollutant : No

IATA (air)

Class : 8

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this

product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Corr. 1C	: On basis of test data.
Eye Dam. 1	: Calculation method.
Aquatic Chronic 3	: Calculation method.
Met. Corr. 1	: Expert judgement.

Full text of hazard classes mentioned in section 3:

Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.
Eye Dam. 1	: Serious eye damage, category 1.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.
Met. Corr. 1	: Corrosive to metals, category 1.

Full text of H-phrases mentioned in section 3:

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

Number format : ", " used as decimal separator.

End of safety data sheet.