

# Master Data Table

## Cruise, Drawer & Built-in

### Product Overview

Type	FUNCTION	Gross Volume fridge (l)	Gross Volume freezer (l)	Weight (Kg)	Width (W) (mm) (A) (1) (2) (3)	Height (H) (mm) (1) (2) (3)
CR 36	FRIDGE	36	-	17	440	250
CR 36 INOX	FRIDGE	36	-	17	453	255
CR 40 CUBIC	FRIDGE OR FREEZER	40		19	420	430
CR 42	FRIDGE + FREEZER COMPARTMENT	37	5	14	380	522
CR 42 EL	FRIDGE + FREEZER COMPARTMENT	37	5	14	380	525
CR 42 INOX CLEAN TOUCH	FRIDGE + FREEZER COMPARTMENT	37	5	15	400	525
CR 49	FRIDGE + FREEZER COMPARTMENT	44	5	16	386	523
CR 49 EL	FRIDGE + FREEZER COMPARTMENT	44	5	16	380	525
CR 49 INOX CLEAN TOUCH	FRIDGE + FREEZER COMPARTMENT	44	5	18	400	525
CR 63 F	FREEZER	-	63	22	477	620
CR 63 F INOX	FREEZER	-	63	23	495	620
CR 65	FRIDGE + FREEZER COMPARTMENT	60	5	19	455	527
CR 65 EL	FRIDGE + FREEZER COMPARTMENT	60	5	19	448	527
CR 65 INOX CLEAN TOUCH	FRIDGE + FREEZER COMPARTMENT	60	5	21	470	528
CR 65 F	FREEZER	-	65	22	527	610
CR 65 F INOX	FREEZER	-	65	23	545	610
CR 85	FRIDGE + FREEZER COMPARTMENT	77	8	22	477	620
CR 85 EL	FRIDGE + FREEZER COMPARTMENT	77	8	22	477	620
CR 85 INOX CLEAN TOUCH	FRIDGE + FREEZER COMPARTMENT	77	8	24	495	625
CR 90 BIG	FRIDGE & FREEZER	70	20	24	478	845
CR 90 F	FREEZER	-	90	27	527	746
CR 90 F INOX CLEAN TOUCH	FREEZER	-	90	29	545	750
CR 100	FRIDGE + FREEZER COMPARTMENT	94	6	26	487	746
CR 130	FRIDGE + FREEZER COMPARTMENT	122	8	23	527	746
CR 130 EL	FRIDGE + FREEZER COMPARTMENT	122	8	25	528	746
CR 130 INOX CLEAN TOUCH	FRIDGE + FREEZER COMPARTMENT	122	8	27	545	750
CR 130 DRINK	FRIDGE	130	-	27	527	746
CR 130 DRINK INOX	FRIDGE	130	-	28	545	750
CR 160 DRINK INOX	FRIDGE	160	-	40	626	870
CR 165 SILVER	FRIDGE & FREEZER	125	40	37	500	1210
CR 195 COMBI	FRIDGE & FREEZER	130	65	51	550	1345
CR 195 COMBI INOX	FRIDGE & FREEZER	130	65	51	545	1345
CR 200	FRIDGE & FREEZER	150	50	53	730	880
CR 200 INOX	FRIDGE & FREEZER	150	50	53	730	868
CR 219 SILVER	FRIDGE & FREEZER	178	41	40	550	1406
CR 220 COMBI INOX	FRIDGE & FREEZER	130	90	59	545	1545
CR 260 COMBI INOX	FRIDGE + FREEZER COMPARTMENT	244	16	64	545	1545
CR 271 SILVER	FRIDGE & FREEZER	218	53	52	550	1660
CR 320 COMBI INOX	FRIDGE	320	-	85	628	1790
CR 320 COMBI INOX	FRIDGE & FREEZER	250	70	85	628	1790
CR 320 COMBI INOX	FRIDGE & FREEZER	160	160	85	628	1790
FL 115 EL	FRIDGE + FREEZER COMPARTMENT	83	32	30	525	797

Depth (D) (mm) (1) (2) (3) (4)	Cut-Out (mm)	Frames (B)	Freezer rating (max temp. °C)	Climatic class	Compressor type	Power supply (V) <sup>(C)</sup>	Power consumption (W/24h) (D) (5) (6)
685 <sup>(0)</sup>	442:252	3 side FM SS <sup>(V10)</sup>	-	ST	BD 35 F	12/24V	300
715	458:260	4 side FM SS <sup>(V10)</sup>	-	ST	BD 35 F	12/24V	300
590 <sup>(0)</sup>	422:432	NO	❄️❄️❄️ (-12)	ST	BD 35 F	12/24V	186
455 <sup>(0)</sup>	382:522	OPT	❄️ (-6)	ST	BD 1.4F VSD	12/24V	300
455 <sup>(0)</sup>	382:525	OPT	❄️ (-6)	ST	BD 1.4F VSD	12/24V	285
500	405:525	3 side FM SS <sup>(V10)</sup>	❄️ (-6)	ST	BD 1.4F VSD	12/24V	285
450 <sup>(0)</sup>	391:528	OPT	❄️ (-6)	ST	BD 35 F	12/24V	278
450 <sup>(0)</sup>	382:525	OPT	❄️ (-6)	ST	BD 35 F	12/24V	265
500	405:525	3 side FM SS <sup>(V10)</sup>	❄️ (-6)	ST	BD 35 F	12/24V	265
515 <sup>(0)</sup>	481:625	OPT	❄️❄️❄️ (-18)	ST	BD 35 F	12/24V	458
555	500:625	3 side FM SS <sup>(V10)</sup>	❄️❄️❄️ (-18)	ST	BD 35 F	12/24V	458
480 <sup>(0)</sup>	460:532	OPT	❄️ (-6)	ST	BD 35 F	12/24V	288
470 <sup>(0)</sup>	450:532	OPT	❄️ (-6)	ST	BD 35 F	12/24V	275
520	475:532	3 side FM SS <sup>(V10)</sup>	❄️ (-6)	ST	BD 35 F	12/24V	275
540 <sup>(0)</sup>	531:615	NO	❄️❄️❄️ (-18)	ST	BD 35 F	12/24V	440
580	550:620	3 side FM SS <sup>(V10)</sup>	❄️❄️❄️ (-18)	ST	BD 35 F	12/24V	440
505 <sup>(0)</sup>	481:625	OPT	❄️ (-6)	ST	BD 35 F	12/24V	386
500 <sup>(0)</sup>	479:625	OPT	❄️ (-6)	ST	BD 35 F	12/24V	368
550	500:625	3 side FM SS <sup>(V10)</sup>	❄️ (-6)	ST	BD 35 F	12/24V	368
430 <sup>(0)</sup>	482:847	NO	❄️❄️❄️ (-18)	ST	BD 35 F	12/24V	520
520 <sup>(0)</sup>	531:751	OPT	❄️❄️ (-12)	ST	BD 35 F	12/24V	670
565	550:750	3 side FM SS <sup>(V10)</sup>	❄️❄️ (-12)	ST	BD 35 F	12/24V	626
455 <sup>(0)</sup>	491:748	OPT	❄️ (-6)	ST	BD 35 F	12/24V	400
505 <sup>(0)</sup>	531:751	OPT	❄️ (-6)	ST	BD 35 F	12/24V	438
505 <sup>(0)</sup>	530:751	OPT	❄️ (-6)	ST	BD 35 F	12/24V	418
555	550:750	3 side FM SS <sup>(V10)</sup>	❄️ (-6)	ST	BD 35 F	12/24V	418
520 <sup>(0)</sup>	531:751	OPT	-	ST	BD 35 F	12/24V	400
560	550:750	3 side FM SS <sup>(V10)</sup>	-	ST	BD 35 F	12/24V	400
610	630:870	3 side FM SS <sup>(V10)</sup>	-	ST	BD 50 F	12/24V	512
500 <sup>(0v)</sup>	505:1210	NO	❄️❄️❄️ (-18)	ST	BD 50 F	12/24V	600
580	555:1350	3 side FM <sup>(0x)</sup>	❄️❄️❄️ (-18)	ST	2 X BD 35F	12/24V	840
580	550:1350	3 side FM SS <sup>(V10)</sup>	❄️❄️❄️ (-18)	ST	2 X BD 35F	12/24V	840
620	735:890	3 side FM SS <sup>(V10)</sup>	❄️❄️ (-12)	ST	BD 50 F	12/24V	874
620	735:873	3 side FM SS <sup>(V10)</sup>	❄️❄️ (-12)	ST	BD 50 F	12/24V	874
505 <sup>(0v)</sup>	554:1406	NO	❄️❄️❄️ (-18)	ST	BD 50 F	12/24V	650
560	550:1550	3 side FM SS <sup>(V10)</sup>	❄️❄️❄️ (-18)	ST	2 X BD 35F	12/24V	950
560	550:1550	3 side FM SS <sup>(V10)</sup>	❄️ (-6)	ST	2 X BD 35F	12/24V	829
505 <sup>(0v)</sup>	554:1662	NO	❄️❄️❄️ (-18)	ST	BD 50 F	12/24V	700
610	632:1794	3 side FM SS <sup>(V10)</sup>	-	ST	2 X BD 50F	12/24V	1042
610	632:1794	3 side FM SS <sup>(V10)</sup>	❄️ (-6)	ST	BD50F + BD80F	12/24V	1147
610	632:1794	3 side FM SS <sup>(V10)</sup>	❄️❄️ (-12)	ST	BD50F + BD80F	12/24V	1612
495 <sup>(0)</sup>	527:797	NO	❄️ (-6)	ST	BD 35 F	12/24V	267