

# CZone Waterproof Keypad (portrait)



Product code: 80-911-0163-00

The CZone Waterproof Keypad range features dimmable RGB circuit backlighting in a robust IPx7 waterproof enclosure and is available in portrait and landscape orientations.

Simplify dashboard installations by removing wiring clutter with a single network cable. Front mount installation with a single 52 mm (2.05 inch) hole saw, or rear mount to achieve a flat mount glass dash style look. The Keypads are shipped with a standard label sheet for personalised circuit labeling.

- IPx7 submersible.
- Circuit in operation LEDs with blown fuse fault indication.
- Dimmable RGB circuit backlighting.
- Low profile with 3 mounting options - front, rear and flush mount.
- Easy hole saw installation with single plug connection.

# Specifications

## General specifications

NMEA 2000 connectivity	1 x CAN Micro-C port
Interface	keypad
Backlight color	RGB LED with dimming
Supply voltage	9-16 V via CAN
Mounting	front and rear mount
Protection degree	IPx7
Dimensions, h x w x d	107 x 77 x 32 mm
	4.2 x 3.0 x 1.3 inch
Weight	0.115 kg
	0.3 lb
Compliance	CE, ABYC, NMEA, ISO8846/SAEJ1171 Ignition Protected

## Technical specifications

Power consumption	max. 56 mA / standby 1.8 mA
Temperature range (ambient temp.)	-15 °C to 55 °C
	5 to 131 °F
Temperature range (storage/non operating)	-40 °C to 85 °C
	-40 to 185 °F