

SAFETY DATA SHEET

GRFAB47 Fabsil Universal Protector 1L

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name GRFAB47 Fabsil Universal Protector 1L

UFI UFI: WQJ1-GKQJ-S504-R0VM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Exterior surface coating.

1.3. Details of the supplier of the safety data sheet

Supplier Grangers International Ltd
Enterprise Way
Duckmanton
Derbyshire
S44 5FD
United Kingdom
T: +44 (0) 1773 521521
F: +44 (0) 1773 521262
info@grangersinternational.co.uk

1.4. Emergency telephone number

Emergency telephone + 44 (0)191 213 7855 +353 1 837 9964

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Flam. Liq. 3 - H226

Health hazards Eye Irrit. 2 - H319 Asp. Tox. 1 - H304

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.
H304 May be fatal if swallowed and enters airways.

GRFAB47 Fabsil Universal Protector 1L

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P312 Call a POISON CENTRE/doctor if you feel unwell.</p> <p>P331 Do NOT induce vomiting.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P403+P235 Store in a well-ventilated place. Keep cool.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
Contains	HYDROCARBONS, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics
Supplementary precautionary statements	<p>P240 Ground and bond container and receiving equipment.</p> <p>P241 Use explosion-proof electrical equipment.</p> <p>P242 Use non-sparking tools.</p> <p>P243 Take action to prevent static discharges.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p>

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

HYDROCARBONS, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	60-100%
CAS number: —	EC number: 918-481-9
Classification	
Asp. Tox. 1 - H304	
Zirconium butanolate	<1%
CAS number: 1071-76-7	EC number: 213-995-3
Classification	
Flam. Liq. 3 - H226	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
STOT SE 3 - H335	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

GRFAB47 Fabsil Universal Protector 1L

Inhalation	Move affected person to fresh air at once. Keep affected person under observation. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
Ingestion	Do not induce vomiting. Get medical attention. Give plenty of water to drink.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse with water. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea. Irritating to respiratory system.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
Eye contact	May cause severe eye irritation. May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO ₂). Carbon monoxide (CO). Carbon.
--------------------------------------	---

5.3. Advice for firefighters

Protective actions during firefighting	Cool containers exposed to flames with water until well after the fire is out.
Special protective equipment for firefighters	Firefighter's clothing will provide a basic level of protection for chemical incidents. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Provide adequate ventilation. Wear protective gloves, eye and face protection. Avoid inhalation of vapours and contact with skin and eyes. No smoking, sparks, flames or other sources of ignition near spillage. Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

GRFAB47 Fabsil Universal Protector 1L

Methods for cleaning up Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid inhalation of vapours/spray and contact with skin and eyes. Static electricity and formation of sparks must be prevented.

Advice on general occupational hygiene Do not smoke in work area. Good personal hygiene procedures should be implemented. Wash contaminated skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

DNEL

Consumer - Dermal; Long term systemic effects: 125 mg/kg bw/day
 Consumer - Oral; Long term systemic effects: 125 mg/kg bw/day
 Workers - Dermal; Long term systemic effects: 208 mg/kg bw/day
 Workers - Inhalation; Short term systemic effects: 871 mg/m³
 Consumer - Inhalation; Long term systemic effects: 185 mg/m³

HYDROCARBONS, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

Ingredient comments Advisory OEL. CEFIC-HSPA: 1200 mg/m³

DNEL According to information provided, the product does not have any harmful effects if it is used and handled as specified.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Avoid inhalation of vapours. All handling should only take place in well-ventilated areas.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

Wear protective gloves made of the following material: Nitrile: Thickness >0.3mm - Permeation time according to EN 374-3:>60 minutes Polychloroprene. Thickness >0.7mm - permeation time according to EN 374-3:>60 minutes For prolonged or repeated contact: Nitrile: Thickness > 0.45mm - Permeation time according to EN 374-3: >480 minutes

GRFAB47 Fabsil Universal Protector 1L

Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Do not smoke in work area. Good personal hygiene procedures should be implemented. Provide eyewash station. Wash contaminated skin thoroughly after handling.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. When spraying, wear a respirator fitted with the following cartridge: Particulate filter, type P1.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear, yellowish liquid.
Colour	Colourless to pale yellow.
Odour	Solvent.
pH	Not determined.
Melting point	Not determined.
Initial boiling point and range	149-213°C
Flash point	40°C Closed cup.
Evaporation rate	Not applicable.
Relative density	0.78 @ 20°C

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
-------------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

10.4. Conditions to avoid

Conditions to avoid	Avoid heat, flames and other sources of ignition. Static electricity and formation of sparks must be prevented.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Strong acids. Strong oxidising agents.
---------------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
---	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation

Skin corrosion/irritation	Not determined.
----------------------------------	-----------------

Serious eye damage/irritation

GRFAB47 Fabsil Universal Protector 1L

Serious eye damage/irritation	Not determined.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Not determined.
<u>Skin sensitisation</u>	
Skin sensitisation	Not determined.
<u>Carcinogenicity</u>	
Carcinogenicity	Not applicable.
<u>Reproductive toxicity</u>	
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.
<u>Specific target organ toxicity - single exposure</u>	
Target organs	Central nervous system
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Not known.
<u>Aspiration hazard</u>	
Aspiration hazard	Aspiration hazard if swallowed.
<u>Inhalation</u>	
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.
<u>Ingestion</u>	
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. Harmful: may cause lung damage if swallowed.
<u>Skin contact</u>	
Skin contact	Prolonged contact may cause dryness of the skin.
<u>Eye contact</u>	
Eye contact	May cause eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential No information available.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

GRFAB47 Fabsil Universal Protector 1L

General information	Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not empty into drains.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1268
UN No. (IMDG)	1268
UN No. (ICAO)	1268
UN No. (ADN)	1268

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	PETROLEUM DISTILLATES, N.O.S., or PETROLEUM PRODUCTS, N.O.S (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2%)
Proper shipping name (IMDG)	PETROLEUM DISTILLATES, N.O.S., or PETROLEUM PRODUCTS, N.O.S (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2%)
Proper shipping name (ICAO)	PETROLEUM DISTILLATES, N.O.S., or PETROLEUM PRODUCTS, N.O.S (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2%)
Proper shipping name (ADN)	PETROLEUM DISTILLATES, N.O.S., or PETROLEUM PRODUCTS, N.O.S (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2%)

14.3. Transport hazard class(es)

ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

GRFAB47 Fabsil Universal Protector 1L

14.6. Special precautions for user

EmS	F-E, S-E
ADR transport category	3
Emergency Action Code	3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Technical Manager
Revision date	21/03/2023
Revision	16
Supersedes date	28/02/2023
SDS number	4559
Hazard statements in full	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.