

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form	: Article
Trade name	: - MASTERVOLT 2VGEL, MAINTENANCE FREE GEL BATTERY, DEEP CYCLE, LONG LIFE - MASTERVOLT GEL, MAINTENANCE FREE GEL BATTERY, NONSPILLABLE - MASTERVOLT AGM, MAINTENANCE FREE, NONSPILLABLE - MASTERVOLT AGM 6V, MAINTENANCE FREE, NONSPILLABLE - MASTERVOLT AGM SLIMLINE, ABSORBED GLASS MAT BATTERY, NONSPILLABLE

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category	: Industrial use, Professional use
Use of the substance/mixture	: Electrical batteries and accumulators

**1.2.2. Uses advised against**

No additional information available.

**1.3. Details of the supplier of the safety data sheet**

EU (EMEA): Mastervolt BV Snijdersbergweg 93 1105AN Amsterdam The Netherlands T: +31-20-3422100 E: <a href="mailto:info@mastervolt.com">info@mastervolt.com</a>	USA (AMERICA'S): Power Products, LLC N85 W12545 Westbrook Crossing Menomonee Falls, WI 53051 United States of America T: +1-262-293-0600	New Zealand (APAC): Mastervolt / BEP Marine Operations 42 Apollo Drive, Albany Auckland 0632 New Zealand T: +64-9-415-7261
--	---	---

**1.4. Emergency telephone number**

EU: T: +31-20-3422100	USA: T: +1 262-293-0600	New Zealand: T: +64-9-415-7261
-----------------------	-------------------------	--------------------------------

Country	Official advisory body	Address	Emergency number	Remark
Netherlands	Nationaal Vergiftigingen Informatie Centrum Universitair Medisch Centrum Utrecht, Het Nationaal Vergiftigingen Informatie Centrum (NVIC) informeert (dieren-)artsen, apothekers en andere professionele hulpverleners over de mogelijke gezondheidseffecten en behandelingsmogelijkheden bij vergiftigingen. Het NVIC is hiervoor dag en nacht bereikbaar, zowel telefonisch als via internet	Huispostnummer B.00.118 PO Box 85500 3508 GA Utrecht	+31 30 274 88 88	Only for the purpose of informing medical personnel in cases of acute intoxications

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No. 1272/2008 [CLP] with its amendment Regulation (EU) 2016/1179

Not classified

**Adverse physicochemical, human health and environmental effects**

No hazards in case of an intact battery and using according to the instructions. The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

**2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP] with its amendment Regulation (EU) 2016/1179

No labelling applicable

**2.3. Other hazards**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

# Mastervolt GEL and AGM batteries

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP] with its amendment Regulation (EU) 2016/1179
Lead substance listed as REACH Candidate	(CAS-No.) 7439-92-1 (EC-No.) 231-100-4 (EC Index-No.) 082-014-00-7 (REACH-no) 01-2119513221-59	50 - 70	Repr. 1A, H360FD Lact., H362 STOT RE 1, H372
Sulphuric acid (Note B)	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8 (REACH-no) 01-2119458838-20	5 - 15	Skin Corr. 1A, H314
Plastic Container / Plastic Parts		5 - 10	Not classified

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sulphuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8 (REACH-no) 01-2119458838-20	( 5 =<C < 15) Eye Irrit. 2, H319 ( 5 =<C < 15) Skin Irrit. 2, H315 ( 15 =<C < 100) Skin Corr. 1A, H314

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: This information is of relevance only if the battery is broken and this results in a direct contact with the ingredients. Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand. Seek medical attention immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Remove contaminated clothes. Wash skin with plenty of water. immediate medical advice. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. immediate medical advice.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. immediate medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Inhalation of material from a sealed battery is not an expected exposure route. Vapors or mists from a ruptured battery may cause respiratory irritation.
Symptoms/effects after skin contact	: Contact between the battery and skin will not cause any harm. Skin contact with positive and negative terminals of high voltages may cause burns to the skin. Skin contact with a ruptured or shorted battery can cause chemical burns or irritation upon contact with the skin.
Symptoms/effects after eye contact	: Contact between the battery and eye will not cause any harm. Eye contact with the contents of a ruptured battery can cause severe irritation to the eye.
Symptoms/effects after ingestion	: Swallowing of material from a sealed battery is not an expected exposure route. Swallowing mists from a ruptured battery may cause respiratory irritation, chemical burns of the mouth and gastrointestinal tract irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Water.

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard	: Explosion risk in case of fire.
------------------	-----------------------------------

# Mastervolt GEL and AGM batteries

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO<sub>2</sub>).

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection, acid-resistant protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : If the battery material is released, remove personnel from the area until fumes dissipate. Ventilate the area to remove the hazardous gases. Leave the area and allow the batteries to cool. Avoid skin and eye contact or inhalation of vapors.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Do not allow to enter drains or water courses.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Sweep or shovel spills into appropriate container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful. Concerning personal protective equipment to use, see section 8. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Charging:  
There is a possible risk of electric shock from charging equipment and from strings of series connected batteries, whether or not being charged. Shut-off power to chargers whenever not in use and before detachment of any circuit connections. Batteries being charged will generate and release flammable hydrogen gas. Charging space should be ventilated. Keep battery vent caps in position.

Storage conditions : Store under roof in cool ambiance - charged lead-acid batteries do not freeze up to -50°C; prevent short circuits. Store in tightly closed, properly ventilated containers away from heat, sparks, open flame. Keep container tightly closed and dry. Ensure that all local regulations regarding handling and storage are followed.

Heat and ignition sources : Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

No additional information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Lead (7439-92-1)

EU	Local name	Lead and its inorganic compounds
EU	IOELV TWA (mg/m <sup>3</sup> )	100 µg/m <sup>3</sup>
EU	Notes	(Year of adoption 2002)
EU	European BLV	30 µg/100ml Parameter: Pb
EU	Regulatory reference	SCOEL Recommendations
Germany	TRGS 910 Acceptable concentration notes	
Netherlands	Local name	Lood

# Mastervolt GEL and AGM batteries

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

Lead (7439-92-1)		
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	0.15 mg/m <sup>3</sup> (en anorganische loodverbindingen)
Netherlands	Remark (MAC)	(zie tevens artikel 4.19a Arbeidsomstandighedenregeling)
Netherlands	Regulatory reference	Arbeidsomstandighedenregeling 2018

Sulphuric acid (7664-93-9)		
EU	Local name	Sulphuric acid (mist)
EU	IOELV TWA (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>
EU	Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU
Germany	TRGS 910 Acceptable concentration notes	
Netherlands	Local name	Zwavelzuur
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> (nevel), gedefinieerd als de thoracale fractie
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	0.1 mg/m <sup>3</sup>
Netherlands	Remark (MAC)	(kankerverwekkende stoff; gedefinieerd als de thoracale fractie)
Netherlands	Regulatory reference	Arbeidsomstandighedenregeling 2018

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. hazards in case of damaged / ruptured battery.

#### Personal protective equipment:

Gloves. Protective clothing. Safety glasses.

Materials for protective clothing:					
Acid-resistant clothing. Safety boots					
Hand protection:					
Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF EN 374 or equivalent).					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Polyvinylchloride (PVC), Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.11		EN 374
Eye protection:					
Safety glasses. DIN EN 166					
Skin and body protection:					
Wear suitable protective clothing. CEN : EN 340; EN 369; EN 465. EN 13034					
Respiratory protection:					
No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. In case of inadequate ventilation wear respiratory protection. EN 143					

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Exposure to sulphuric acid and acid mist might occur during charging. Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

# Mastervolt GEL and AGM batteries

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: batteries and accumulators.
Colour	: Grey.
Odour	: Odourless.
Odour threshold	: No data available.
pH	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: No data available.
Auto-ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: No data available.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: No data available.
Solubility	: No data available.
Log Pow	: No data available.
Viscosity, kinematic	: No data available.
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

#### 9.2. Other information

No additional information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions of use.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Metals.

#### 10.4. Conditions to avoid

The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful. Keep away from heat and direct sunlight.

#### 10.5. Incompatible materials

No additional information available.

#### 10.6. Hazardous decomposition products

Explosion risks of vapours.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Sulphuric acid (7664-93-9)

LD50 oral	2140 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

# Mastervolt GEL and AGM batteries

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

#### 12.2. Persistence and degradability

No additional information available.

#### 12.3. Bioaccumulative potential

##### Sulphuric acid (7664-93-9)

Log Pow	-2.2
---------	------

#### 12.4. Mobility in soil

No additional information available.

#### 12.5. Results of PBT and vPvB assessment

- MASTERVOLT 2VGEL, MAINTENANCE FREE GEL BATTERY, DEEP CYCLE, LONG LIFE
- MASTERVOLT GEL, MAINTENANCE FREE GEL BATTERY, NONSPILLABLE
- MASTERVOLT AGM, MAINTENANCE FREE, NONSPILLABLE
- MASTERVOLT AGM 6V, MAINTENANCE FREE, NONSPILLABLE
- MASTERVOLT AGM SLIMLINE, ABSORBED GLASS MAT BATTERY, NONSPILLABLE

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

Lead (7439-92-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
------------------	---

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 16 06 00 - batteries and accumulators

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 2800	UN 2800	UN 2800	UN 2800	UN 2800
<b>14.2. UN proper shipping name</b>				
BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid)	BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid)	BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid)	BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid)	BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid)
<b>Transport document description</b>				
UN 2800 BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid), 8, (E)	UN 2800 BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid), 8	UN 2800 BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid), 8	UN 2800 BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid), 8	UN 2800 BATTERIES, WET, NON-SPILLABLE (CONTAINS : Sulphuric acid), 8
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8

# Mastervolt GEL and AGM batteries

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

				
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available.				

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : C11  
Special provisions (ADR) : 238, 295, 598  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E0  
Packing instructions (ADR) : P003, P801a  
Special packing provisions (ADR) : PP16  
Transport category (ADR) : 3  
Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP8  
Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E

#### Transport by sea

Special provisions (IMDG) : 29, 238  
Packing instructions (IMDG) : P003  
Special packing provisions (IMDG) : PP16  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : A  
Properties and observations (IMDG) : Metal plates immersed in gelled alkaline or acid electrolyte in a glass, hard rubber or plastics receptacle of a non-spillable type. When electrically charged, may cause fire through short-circuiting of terminals. Cause burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA) : E0  
PCA Limited quantities (IATA) : Forbidden  
PCA limited quantity max net quantity (IATA) : Forbidden  
PCA packing instructions (IATA) : 872  
PCA max net quantity (IATA) : No limit  
CAO packing instructions (IATA) : 872  
CAO max net quantity (IATA) : No limit  
Special provisions (IATA) : A48, A67, A164, A183  
ERG code (IATA) : 8L

#### Inland waterway transport

Classification code (ADN) : C11  
Special provisions (ADN) : 238, 295, 598  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E0  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : C11

# Mastervolt GEL and AGM batteries

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

Special provisions (RID)	: 238, 295, 598
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P003, P801a
Special packing provisions (RID)	: PP16
Transport category (RID)	: 3
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP8
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains one substance (s) from the list of candidate substances of REACH in a concentration > 0,1%: Lead (EC 231-100-4, CAS 7439-92-1)  
Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.  
Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

Other information, restriction and prohibition regulations : In accordance with EU Battery Directive 2006/66 / EC.

#### 15.1.2. National regulations

##### Netherlands

SZW-lijst van kankerverwekkende stoffen	: Sulphuric acid is listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: Lead is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: Lead is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: Lead is listed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:	
SDS	Safety Data Sheet
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
LC50	Median lethal concentration
LD50	Median lethal dose
CAS	CAS (Chemical Abstracts Service) number
EG-nr	EINECS- en ELINCS-number

# Mastervolt GEL and AGM batteries

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179

EINECS	European Inventory of Existing Commercial Substances
OEL	Occupational Exposure Limit

Data sources : according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2016/1179.

Other information : Avoid mechanical or electrical abuse. DO NOT short circuit or install incorrectly. Install and use a Lead Acid Battery in accordance with the instructions provided in the user's manual. REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number).  
DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation
Repr. 1A	Reproductive toxicity, Category 1A
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet applicable for regions : NL - Netherlands

This Safety Data Sheet is compiled by :

ChemPros B.V.

(T) +31 79 767 60 06

(E) info@chemprosbv.nl

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*